

CLIENT NAME	DISCHARGE DATE	BRANCH	TIME IN: _____ TIME OUT: _____
HOMEBOUND REASON (check one): <input type="checkbox"/> Dependent on adaptive device(s) <input type="checkbox"/> Requires assistance to ambulate <input type="checkbox"/> Severe pain <input type="checkbox"/> Medical Restrictions <input type="checkbox"/> Severe SOB with _____ <input type="checkbox"/> Other (specify) _____ (MANDATORY) UNABLE TO LEAVE HOME SAFELY DUE TO: _____			

MEDICATIONS REVIEWED? <input type="checkbox"/> Yes <input type="checkbox"/> No COMPLIANT WITH MED REGIMEN? <input type="checkbox"/> Yes <input type="checkbox"/> No	ANY NEW/CHANGED MEDICATIONS? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, document change: _____ If Yes, Medication profile updated? <input type="checkbox"/> Yes <input type="checkbox"/> No
--	--

VITAL SIGNS	PAIN
--------------------	-------------

BP: ____/____ <input type="checkbox"/> Sitting <input type="checkbox"/> Standing <input type="checkbox"/> Supine	
BP: ____/____ <input type="checkbox"/> Sitting <input type="checkbox"/> Standing <input type="checkbox"/> Supine	
Pulse: ____ <input type="checkbox"/> Regular <input type="checkbox"/> Irregular	Pain Location: _____ Pain Description: _____
Oxygen Saturation: ____%	Aggravating Factors: _____ Alleviating Factors: _____

Client is still receiving services of: SN PT OT ST HHA Other: _____

TRANSFERS	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	
-----------	---	--

Comments: _____

AMBULATION	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	
------------	---	--

Comments: _____

DYSPNEA	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	Patient will demonstrate increased endurance/tolerance with ability to _____ with no signs or symptoms of breathlessness.
---------	---	---

Comments: _____

PAIN	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	Patient will demonstrate effective pain control through _____, reducing pain from ____/10 to ____/10, allowing for _____
------	---	--

Comments: _____

OBJECTIVE MEASURE	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	
-------------------	---	--

Comments: _____

HEP COMPLIANCE	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	Patient will demonstrate ability to perform Home Exercise Program independently, or with assist of caregiver, resulting in improvements in _____
----------------	---	--

Comments: _____

HOSPITALIZATION PREVENTION	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	Patient will understand how and when to contact Recover Health clinicians, and will demonstrate ability to maintain medical condition in home without unplanned hospitalization or ER visit.
----------------------------	---	--

Comments: _____

OTHER / NEW GOAL:	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	
-------------------	---	--

Comments: _____

OTHER / NEW GOAL:	Goal Met? <input type="checkbox"/> Yes <input type="checkbox"/> No	
-------------------	---	--

Comments: _____

Provide SUMMARY of care and JUSTIFICATION as to why the client benefited from skilled therapy services. Relate the results to functional outcomes. Document skilled therapy performed today. Discuss Discharge Plan for continued client success.

***PHYSICAL THERAPY should continue due to: Pt potential to improve materially in a reasonable & generally predictable period of time based on the POC
 A pT's skills/knowledge are needed to design/establish a safe maint. Program A PT's skills/knowledge are needed to perform a safe maint. program

NOTIFICATION OF DISCHARGE/TRANSFER: Physician: <input type="checkbox"/> Yes <input type="checkbox"/> No Client/Caregiver: <input type="checkbox"/> Yes <input type="checkbox"/> No	FAXED TO: _____
---	------------------------

CLIENT SIGNATURE: _____
 Therapist Signature & Professional Designation: _____ Date: _____ Time: _____

CLIENT NAME		SERVICE DATE	BRANCH
Functional Areas	Discharge Level of Function	Scoring Key	
Transferring: Current ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.		0 = Able to independently transfer. 1 = Able to transfer with minimal human assistance or with use of an assistive device. 2 = Able to bear weight and pivot during the transfer process but unable to transfer self. 3 = Unable to transfer self and is unable to bear weight or pivot when transferred by another person. 4 = Bedfast, unable to transfer but is able to turn and position self in bed. 5 = Bedfast, unable to transfer and is unable to turn and position self.	
Ambulation/Locomotion: Current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.		0 = Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device). 1 = With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings. 2 = Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces. 3 = Able to walk only with the supervision or assistance of another person at all times. 4 = Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. 5 = Chairfast, unable to ambulate and is <u>unable</u> to wheel self. 6 = Bedfast, unable to ambulate or be up in a chair.	
When is the patient dyspneic or noticeably Short of Breath?		0 = Patient is not short of breath 1 = When walking more than 20 feet, climbing stairs 2 = With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet) 3 = With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation 4 = At rest (during day or night)	
Frequency of Pain Interfering with patient's activity or movement:		0 = Patient has no pain 1 = Patient has pain that does not interfere with activity or movement 2 = Less often than daily 3 = Daily, but not constantly 4 = All of the time	
Objective Measure		Tinetti: (2) <18 (high fall risk) (1) 19-23 (moderate fall risk) (0) ≥24 (low fall risk) Berg: (2) 0-20 (wheelchair bound) (1) 21-40 (walking with assist) (0) 41-56 (independent) Other:	
Objective Measure Documentation (Berg, Tinetti, TUG, etc..)			
Comments:			

CLIENT NAME	SERVICE DATE	BRANCH
<p>Code the patient's usual performance at evaluation for each activity using the 6-point scale. If activity was not attempted at evaluation, code the reason. Code the patient's discharge goal(s) using the 6-point scale. Use of codes 07, 09, 10 or 88 is permissible to code discharge goal(s).</p>		
<p>Safety and Quality of Performance – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided. <i>Activities may be completed with or without assistive devices.</i></p> <p>06. Independent – Patient completes the activity by him/herself with no assistance from a helper</p> <p>05. Set-up or clean-up assistance – helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.</p> <p>04. Supervision or touching assistance – Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.</p> <p>03. Partial/moderate assistance – Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs and provides, but provides less than half the effort.</p> <p>02. Substantial/maximal assistance – Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.</p> <p>01. Dependent – Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.</p> <p>If activity was not attempted, code reason</p> <p>07. Patient Refused</p> <p>09. Not applicable – not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.</p> <p>10. Not attempted due to environmental limitations (e.g., lack of equipment,</p>		
Today's Discharge Score		
	<p>Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.</p>	
	<p>Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.</p>	
	<p>Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.</p>	
	<p>Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.</p>	
	<p>Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).</p>	
	<p>Toilet transfer: The ability to get on and off a toilet or commode.</p>	
	<p>Car Transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.</p>	
	<p>Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space.</p>	
	<p>Walk 50 feet with two turns: Once standing, the ability to walk 50 feet and make two turns.</p>	
	<p>Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.</p>	
	<p>Walk 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.</p>	
	<p>1 step (curb): The ability to go up and down a curb and/or up and down one step.</p>	
	<p>4 steps: The ability to go up and down four steps with or without a rail.</p>	
	<p>12 steps: The ability to go up and down 12 steps with or without a rail.</p>	
	<p>Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.</p>	
	<p>Does patient use wheelchair and/or scooter? (Yes/No) <i>If 'NO' then below sections may remain empty</i></p>	
	<p>Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.</p>	
	<p>Indicate the type of wheelchair or scooter used. 1 = Manual, 2 = Motorized</p>	
	<p>Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.</p>	
	<p>Indicate the type of wheelchair or scooter used. 1 = Manual, 2 = Motorized</p>	
<p>Comments:</p>		